## QGIS\_Handle Bad Layer

## Step 0: Open your Project that you saved

Step1: click on top left corner of the table to select all the bad layers (see picture below)

	Layer name	Type	Provider	Auth config	Datasource	
	Airports	vector	ogr		./Airports.shp	
2	Main_Roads	vector	ogr		./Main_Roads.shp	
-	South Africa	vector	ogr		./provincial.shp	
1	Rivers	vector	ogr		./Rivers.shp	
	Step1:	Select top	left corner of	the Table t	to highlight/select every bad layer.	
	Step1:	Select top	left corner of	the Table t	to highlight/select every bad layer.	

## Step2: Now click on **browse** to locate the folder where the spatial data is stored

Airports       vector       ogr       ./Airports.shp         Main_Roads       vector       ogr       ./Main_Roads.shp         South Africa       vector       ogr       ./Rivers.shp		Layer name	Туре	Provider	Auth config	Datasource
South Africa     vector     ogr     ./provincial.shp       Rivers     vector     ogr     ./Rivers.shp	4	Airports				./Airports.shp
Rivers vector ogr ./Rivers.shp	M	Main_Roads				./Main_Roads.shp
	s	South Africa				./provincial.shp
Step2: Now click on Browse to locate the folder where your spatial Data is saved/stored.	R					./Rivers.shp
		Step2: N	ow click on	Browse to loc	ate the fol	der where your spatial Data is saved/stored.

💋 Select new directory of se	ected files					>
← → • ↑ 📙 « USI	B > mikeUSB > Mike > 211 201	6 > Practical_02 > Prac_2a	``````````````````````````````````````	・ Ö Search Pra	c_2a	م ر
Organize 👻 New folde	er				=== -	?
This PC	Name	Date modified	Туре	Size		
E Desktop		No items match	your search.			
Documents						
Downloads Music						
Pictures	Note: Marked in gree	en is the location/ direct	ory where my	/ Vector(shap	efiles) Spati	al
Videos	Data are stored.					
Windows (C:)						
USB Drive (G:)	Directory.	t folder" option to selec	t this location	h as the Data :	source	
👳 Mdlulis (\\local.)	Directory.					
🛖 Staff share (\\loc						
🛖 Apps (\\ukzn-ap						
🛫 student share (\\						
Folder	r: Prac_2a					
				Select Fold	ler 📔 Can	cel

Step3: Browse to the folder with the spatial data and then click "select Folder"

## Step4: Now click on **Apply** to link the project with it spatial data

	Layer name	Туре	Provider	Auth config	Datasource
4	Airports	vector			G:/USB/mike USB/Mike/211 2016/Practical_02/Prac_2a/Airports.shp
P	Main_Roads	vector			G:/USB/mike USB/Mike/211 2016/Practical_02/Prac_2a/Main_Roads.shp
•	South Africa				G:/USB/mike USB/Mike/211 2016/Practical_02/Prac_2a/provincial.shp
F		vector	ogr		G:/USB/mike USB/Mike/211 2016/Practical_02/Prac_2a/Rivers.shp
	Step 4:	Now click o	on Apply to lin	k the saved	d project with it spatial data
	Step 4:	Now click o	n Apply to lin	k the saved	d project with it spatial data

Ste	n5: c	lick	OK t	o close	the	Handle	bad	laver	windows	and	view	the	man	nroi	ect
Juc	ρυ. υ				, unc	nunuic	Nuu	iu y ci	********	unu	VIC VV	CIIC	mup	piul	CUL

Handle bad laye	rs			?	?
Layer name	Туре	Provider	Auth config	Datasource	
Note: On	ce the layer	rs has been lin	ked with their cor	rect source folder, they dissappear	
Note: On from the		rs has been lin	ked with their cor	rect source folder, they dissappear	
from the	window.		ked with their cor dow and View you		
from the Step5: Cl	window. ick okay to o	close the wime	dow and View you	Project.	
from the Step5: Cl	window. ick okay to o	close the wime	dow and View you		
from the Step5: Cl	window. ick okay to o	close the wime	dow and View you	Project.	