

DatabaseError at /layers/:geonode:alger_regions

ORDER BY not allowed in subqueries of compound statements.

```

Request Method: GET
Request URL: http://localhost:8000/layers/:geonode:alger_regions
Django Version: 2.2.20
Exception Type: DatabaseError
Exception Value: ORDER BY not allowed in subqueries of compound statements.
Exception Location: C:\cygwin\home\pc\geonode_env\lib\site-packages\django\db\models\sql\compiler.py in get_combinator_sql, line 421
Python Executable: C:\cygwin\home\pc\geonode_env\Scripts\python.exe
Python Version: 3.8.9
Python Path: ['C:\Users\pc\Desktop\geonode',
              'C:\Users\pc\Desktop\geonode',
              'C:\Users\pc\AppData\Local\programs\python\python38-32\python38.zip',
              'C:\Users\pc\AppData\Local\programs\python\python38-32\DLLs',
              'C:\Users\pc\AppData\Local\programs\python\python38-32\lib',
              'C:\Users\pc\AppData\Local\programs\python\python38-32',
              'C:\cygwin\home\pc\geonode_env',
              'C:\cygwin\home\pc\geonode_env\lib\site-packages',
              'C:\Users\pc\Desktop\geonode',
              'C:\cygwin\home\pc\geonode_env\lib\site-packages\win32',
              'C:\cygwin\home\pc\geonode_env\lib\site-packages\win32\lib',
              'C:\cygwin\home\pc\geonode_env\lib\site-packages\Pythonwin']

Server time: mer, 19 Mai 2021 11:59:38 +0000

```

Traceback [Switch to copy-and-paste view](#)

```

C:\cygwin\home\pc\geonode_env\lib\site-packages\django\core\handlers\exception.py in inner
    34.         response = get_response(request)
    ...

▶ Local vars

C:\cygwin\home\pc\geonode_env\lib\site-packages\django\core\handlers\base.py in _get_response
    115.         response = self.process_exception_by_middleware(e, request)
    ...

▶ Local vars

C:\cygwin\home\pc\geonode_env\lib\site-packages\django\core\handlers\base.py in _get_response
    113.         response = wrapped_callback(request, *callback_args, **callback_kwargs)
    ...

▶ Local vars

C:\Users\pc\Desktop\geonode\geonode\layers\views.py in layer_detail
    623.     perms_list = list()
    ...

▶ Local vars

C:\cygwin\home\pc\geonode_env\lib\site-packages\django\db\models\query.py in __len__
    256.     self._fetch_all()
    ...

▶ Local vars

C:\cygwin\home\pc\geonode_env\lib\site-packages\django\db\models\query.py in _fetch_all
    1242.     self._result_cache = list(self._iterable_class(self))
    ...

▶ Local vars

C:\cygwin\home\pc\geonode_env\lib\site-packages\django\db\models\query.py in __iter__
    182.     for row in compiler.results_iter(chunked_fetch=self.chunked_fetch, chunk_size=self.chunk_size):
    ...

▶ Local vars

C:\cygwin\home\pc\geonode_env\lib\site-packages\django\db\models\sql\compiler.py in results_iter
    1094.     results = self.execute_sql(MULTI, chunked_fetch=chunked_fetch, chunk_size=chunk_size)
    ...

▶ Local vars

C:\cygwin\home\pc\geonode_env\lib\site-packages\django\db\models\sql\compiler.py in execute_sql
    1129.     sql, params = self.as_sql()
    ...

▶ Local vars

C:\cygwin\home\pc\geonode_env\lib\site-packages\django\db\models\sql\compiler.py in as_sql
    483.     result, params = self.get_combinator_sql(combinator, self.query.combinator_all)
    ...

▶ Local vars

C:\cygwin\home\pc\geonode_env\lib\site-packages\django\db\models\sql\compiler.py in get_combinator_sql
    421.     raise DatabaseError('ORDER BY not allowed in subqueries of compound statements.')
    ...

▶ Local vars

```

Request information

```

USER      admin
GET       No GET data
POST      No POST data

```

FILES

No FILES data

COOKIES

| Variable | Value |
|-----------|--------------------------------------------------------------------|
| csrftoken | '9adwG1BsOvMHSBPxWbtIoT5FBvyH87KK7jFwiZakIERduQdsR7ORzyEeZwyJHKtN' |
| sessionId | 'z51lac81a5exs07h62s2bvs6qozm1omg' |

META

| Variable | Value |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ALLUSERSPROFILE | 'C:\\ProgramData' |
| APPDATA | 'C:\\Users\\pc\\AppData\\Roaming' |
| COMMONPROGRAMFILES | 'C:\\Program Files (x86)\\Common Files' |
| COMMONPROGRAMFILES(X86) | 'C:\\Program Files (x86)\\Common Files' |
| COMMONPROGRAMW6432 | 'C:\\Program Files\\Common Files' |
| COMPUTERNAME | 'DESKTOP-EKDKLVR' |
| COMSPEC | 'C:\\WINDOWS\\system32\\cmd.exe' |
| CONTENT_LENGTH | '' |
| CONTENT_TYPE | 'text/plain' |
| CSRF_COOKIE | '9adwG1BsOvMHSBPxWbtIoT5FBvyH87KK7jFwiZakIERduQdsR7ORzyEeZwyJHKtN' |
| DJANGO_SETTINGS_MODULE | 'geonode.settings' |
| DRIVERDATA | 'C:\\Windows\\System32\\Drivers\\DriverData' |
| ENV_PROMPT | '(geonode_env) ' |
| GATEWAY_INTERFACE | 'CGI/1.1' |
| GDAL_DATA | 'C:\\OSGeo4W\\share\\gdal' |
| GDAL_DRIVER_PATH | 'C:\\cygwin\\home\\pc\\geonode_env\\lib\\site-packages\\osgeo\\gdalplugins' |
| GDAL_LIBRARY_PATH | 'C:\\OSGeo4W\\bin\\gdal301.dll' |
| GEOS_LIBRARY_PATH | 'C:\\OSGeo4W\\bin\\geos.dll' |
| HOMEDRIVE | 'C:' |
| HOMEPATH | '\\Users\\pc' |
| HTTP_ACCEPT | 'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/sig' |
| HTTP_ACCEPT_ENCODING | 'gzip, deflate, br' |
| HTTP_ACCEPT_LANGUAGE | 'fr-FR,fr;q=0.9,en-US;q=0.8,en;q=0.7' |
| HTTP_CONNECTION | 'keep-alive' |
| HTTP_COOKIE | ('csrftoken=9adwG1BsOvMHSBPxWbtIoT5FBvyH87KK7jFwiZakIERduQdsR7ORzyEeZwyJHKtN; ' 'sessionId=z51lac81a5exs07h62s2bvs6qozm1omg') |
| HTTP_HOST | 'localhost:8000' |
| HTTP_REFERER | 'http://localhost:8000/layers/?limit=5&offset=0' |
| HTTP_SEC_CH-UA | '\" Not A;Brand\";v=99\", \"Chromium\";v=90\", \"Google Chrome\";v=90\"' |
| HTTP_SEC_CH-UA-MOBILE | '?0' |
| HTTP_SEC_FETCH_DEST | 'document' |
| HTTP_SEC_FETCH_MODE | 'navigate' |
| HTTP_SEC_FETCH_SITE | 'same-origin' |
| HTTP_SEC_FETCH_USER | '?1' |
| HTTP_UPGRADE_INSECURE_REQUESTS | '1' |
| HTTP_USER_AGENT | ('Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like ' 'Gecko) Chrome/90.0.4430.212 Safari/537.36') |
| LOCALAPPDATA | 'C:\\Users\\pc\\AppData\\Local' |
| LOGONSERVER | '\\\\DESKTOP-EKDKLVR' |
| NUMBER_OF_PROCESSORS | '8' |
| ONEDRIVE | 'C:\\Users\\pc\\OneDrive' |
| OS | 'Windows_NT' |
| OSGEO4W_ROOT | 'C:\\OSGeo4W' |
| PATH | ('C:\\OSGeo4W\\bin;C:\\cygwin\\home\\pc\\geonode_env\\lib\\site-packages\\shapely\\DLLs;c:\\users\\pc\\appdata\\lc packages\\osgeo;C:\\OSGeo4W\\bin;C:\\OSGeo4W\\bin;C:\\cygwin\\home\\pc\\geonode_env\\Scripts;C:\\WINDOWS\\system32; ' 'Files\\Java\\jdk-14.0.1\\bin;C:\\Program Files\\nodejs\\;C:\\Program ' 'Files\\Git\\cmd;C:\\OSGeo4W\\bin;C:\\Users\\pc\\AppData\\Local\\Microsoft\\WindowsApps;C:\\Users\\pc\\AppData\\F 32\\Scripts;C:\\Users\\pc\\AppData\\Local\\Programs\\Python\\Python38-32') |
| PATHEXT | '.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC' |
| PATH_INFO | '/layers/:geonode:alger_regions' |
| PROCESSOR_ARCHITECTURE | 'x86' |
| PROCESSOR_ARCHITECTURE6432 | 'AMD64' |
| PROCESSOR_IDENTIFIER | 'Intel64 Family 6 Model 60 Stepping 3, GenuineIntel' |
| PROCESSOR_LEVEL | '6' |
| PROCESSOR_REVISION | '3c03' |
| PROGRAMDATA | 'C:\\ProgramData' |
| PROGRAMFILES | 'C:\\Program Files (x86)' |
| PROGRAMFILES(X86) | 'C:\\Program Files (x86)' |
| PROGRAMW6432 | 'C:\\Program Files' |
| PROJ_LIB | 'C:\\OSGeo4W\\share\\proj' |
| PROMPT | '(geonode_env) \$P\$G' |
| PSMODULEPATH | ('C:\\Program ' 'Files\\WindowsPowerShell\\Modules;C:\\WINDOWS\\system32\\WindowsPowerShell\\v1.0\\Modules') |
| PUBLIC | 'C:\\Users\\Public' |
| QUERY_STRING | '' |
| REMOTE_ADDR | '127.0.0.1' |
| REMOTE_HOST | '' |
| REQUEST_METHOD | 'GET' |
| RUN_MAIN | 'true' |
| SCRIPT_NAME | '' |
| SERVER_NAME | 'DESKTOP-EKDKLVR' |
| SERVER_PORT | '8000' |
| SERVER_PROTOCOL | 'HTTP/1.1' |
| SERVER_SOFTWARE | 'WSGIServer/0.2' |
| SYSTEMDRIVE | 'C:' |
| SYSTEMROOT | 'C:\\WINDOWS' |
| TEMP | 'C:\\Users\\pc\\AppData\\Local\\Temp' |
| TMP | 'C:\\Users\\pc\\AppData\\Local\\Temp' |
| USERDOMAIN | 'DESKTOP-EKDKLVR' |
| USERDOMAIN_ROAMINGPROFILE | 'DESKTOP-EKDKLVR' |
| USERNAME | 'pc' |

| Variable | Value |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USERPROFILE | 'C:\\Users\\pc' |
| VIRTUAL_ENV | 'C:\\cygwin\\home\\pc\\geonode_env' |
| WINDIR | 'C:\\WINDOWS' |
| _OLD_VIRTUAL_PATH | ('C:\\WINDOWS\\system32;C:\\WINDOWS;C:\\WINDOWS\\System32\\wbem;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\Files\\Java\\jdk-14.0.1\\bin;C:\\Program Files\\nodejs\\;C:\\Program 'Files\\Git\\cmd;C:\\OSGeo4W\\bin;C:\\Users\\pc\\AppData\\Local\\Microsoft\\WindowsApps;C:\\Users\\pc\\AppData\\f32\\Scripts;C:\\Users\\pc\\AppData\\Local\\Programs\\Python\\Python38-32') |
| _OLD_VIRTUAL_PROMPT | '\$P\$G' |
| wsgi.errors | <_io.TextIOWrapper name='<stderr>' mode='w' encoding='utf-8'> |
| wsgi.file_wrapper | '' |
| wsgi.input | <django.core.handlers.wsgi.LimitedStream object at 0x12250FE8> |
| wsgi.multiprocess | False |
| wsgi.multithread | True |
| wsgi.run_once | False |
| wsgi.url_scheme | 'http' |
| wsgi.version | (1, 0) |

Settings

Using settings module geonode.settings

| Setting | Value |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ABSOLUTE_URL_OVERRIDES | {} |
| ACCESS_TOKEN_EXPIRE_SECONDS | '*****' |
| ACCOUNT_ADAPTER | 'geonode.people.adapters.LocalAccountAdapter' |
| ACCOUNT_APPROVAL_REQUIRED | False |
| ACCOUNT_AUTHENTICATION_METHOD | 'username_email' |
| ACCOUNT_CONFIRM_EMAIL_ON_GET | True |
| ACCOUNT_EMAIL_REQUIRED | True |
| ACCOUNT_EMAIL_VERIFICATION | 'none' |
| ACCOUNT_LOGIN_ATTEMPTS_LIMIT | 3 |
| ACCOUNT_LOGIN_REDIRECT_URL | 'http://localhost:8000/' |
| ACCOUNT_LOGOUT_REDIRECT_URL | 'http://localhost:8000/' |
| ACCOUNT_MAX_EMAIL_ADDRESSES | 2 |
| ACCOUNT_NOTIFY_ON_PASSWORD_CHANGE | '*****' |
| ACCOUNT_OPEN_SIGNUP | True |
| ACCOUNT_SIGNUP_REDIRECT_URL | 'http://localhost:8000/' |
| ACTSTREAM_SETTINGS | {'FETCH_RELATIONS': True, 'GFK_FETCH_DEPTH': 1, 'USE_JSONFIELD': True, 'USE_PREFETCH': False} |
| ADMINS | [] |
| ADMINS_ONLY_NOTICE_TYPES | ['monitoring_alert'] |
| ADMIN_MODERATE_UPLOADS | False |
| ALLOWED_DOCUMENT_TYPES | ['txt', 'log', 'doc', 'docx', 'ods', 'odt', 'sld', 'qml', 'xls', 'xlsx', 'xml', 'bm', 'bmp', 'dwg', 'dxf', 'fif', 'gif', 'jpg', 'jpe', 'jpeg', 'png', 'tif', 'tiff', 'pbm', 'odp', 'ppt', 'pptx', 'pdf', 'tar', 'tgz', 'rar', 'gz', '7z', 'zip', 'aif', 'aifc', 'aiff', 'au', 'mp3', 'mpga', 'wav', 'afl', 'avi', 'avs', 'fli', 'mp2', 'mp4', 'mpg', 'ogg', 'webm', '3gp', 'flv', 'vdo'] |
| ALLOWED_HOSTS | ['localhost', 'localhost', 'django', 'geonode'] |
| ANONYMOUS_USER_ID | '-1' |
| API_INCLUDE_REGIONS_COUNT | '*****' |
| API_LIMIT_PER_PAGE | '*****' |
| API_LOCKDOWN | '*****' |

| Setting | Value |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| APPEND_SLASH | True |
| ASYNC_SIGNALS | False |
| AUTHENTICATION_BACKENDS | ('oauth2_provider.backends.OAuth2Backend', 'django.contrib.auth.backends.ModelBackend', 'guardian.backends.ObjectPermissionBackend', 'allauth.account.auth_backends.AuthenticationBackend', 'announcements.auth_backends.AnnouncementPermissionsBackend') |
| AUTH_EXEMPT_URLS | ('^(?\$', '/o/*', '/gs/*', '/account/*', '/static/*', '/api/o/*', '/api/roles', '/api/adminRole', '/api/users', '/api/layers', '/monitoring', '/^i18n/setlang/?\$') |
| AUTH_IP_WHITELIST | ['localhost', 'localhost', 'django', 'geonode'] |
| AUTH_PASSWORD_VALIDATORS | ['*****'] |
| AUTH_USER_MODEL | 'people.Profile' |
| AUTO_GENERATE_AVATAR_SIZES | (20, 30, 32, 40, 50, 65, 70, 80, 100, 140, 200, 240) |
| AVATAR_ADD_TEMPLATE | '' |
| AVATAR_ALLOWED_FILE_EXTS | None |
| AVATAR_AUTO_GENERATE_SIZES | (80,) |
| AVATAR_CACHE_ENABLED | True |
| AVATAR_CACHE_TIMEOUT | 3600 |
| AVATAR_CHANGE_TEMPLATE | '' |
| AVATAR_CLEANUP_DELETED | False |
| AVATAR_DEFAULT_SIZE | 80 |
| AVATAR_DEFAULT_URL | '/geonode/img/avatar.png' |
| AVATAR_DELETE_TEMPLATE | '' |
| AVATAR_EXPOSE_USERNAMES | True |
| AVATAR_FACEBOOK_GET_ID | None |
| AVATAR_GRAVATAR_BASE_URL | 'https://www.gravatar.com/avatar/' |
| AVATAR_GRAVATAR_DEFAULT | None |
| AVATAR_GRAVATAR_FIELD | 'email' |
| AVATAR_GRAVATAR_FORCEDEFAULT | False |
| AVATAR_GRAVATAR_SSL | False |
| AVATAR_HASH_FILENAMES | False |
| AVATAR_HASH_USERDIRNAMES | False |
| AVATAR_MAX_AVATARS_PER_USER | 42 |
| AVATAR_MAX_SIZE | 1048576 |
| AVATAR_PATH_HANDLER | 'avatar.models.avatar_path_handler' |
| AVATAR_PROVIDERS | ('avatar.providers.PrimaryAvatarProvider', 'avatar.providers.GravatarAvatarProvider', 'avatar.providers.DefaultAvatarProvider') |
| AVATAR_RANDOMIZE_HASHES | False |
| AVATAR_RESIZE_METHOD | 1 |
| AVATAR_STORAGE | 'django.core.files.storage.FileSystemStorage' |
| AVATAR_STORAGE_DIR | 'avatars' |
| AVATAR_THUMB_FORMAT | 'JPEG' |
| AVATAR_THUMB_QUALITY | 85 |
| AWS_ACCESS_KEY_ID | ['*****'] |
| AWS_BUCKET_NAME | '' |
| AWS_QUERYSTRING_AUTH | False |
| AWS_S3_BUCKET_DOMAIN | '.s3.amazonaws.com' |
| AWS_SECRET_ACCESS_KEY | ['*****'] |
| AWS_STORAGE_BUCKET_NAME | '' |
| BING_API_KEY | ['*****'] |
| BROKER_HEARTBEAT | 0 |
| BROKER_TRANSPORT_OPTIONS | {'fanout_patterns': True, 'fanout_prefix': True, 'socket_timeout': 60, 'visibility_timeout': 86400} |
| CACHES | {'default': {'BACKEND': 'django.core.cache.backends.dummy.DummyCache'}, 'resources': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache', 'OPTIONS': {'MAX_ENTRIES': 10000}, 'TIMEOUT': 600}} |
| CACHE_BUSTING_MEDIA_ENABLED | False |
| CACHE_BUSTING_STATIC_ENABLED | False |
| CACHE_MIDDLEWARE_ALIAS | 'default' |
| CACHE_MIDDLEWARE_KEY_PREFIX | ['*****'] |
| CACHE_MIDDLEWARE_SECONDS | 600 |
| CASCADE_WORKSPACE | 'geonode' |
| CATALOGUE | {'default': {'ENGINE': 'geonode.catalogue.backends.pycsw_local', 'URL': 'http://localhost:8000/catalogue/csw'}} |
| CATALOG_METADATA_TEMPLATE | 'catalogue/full_metadata.xml' |
| CELERYD_POOL_RESTARTS | True |
| CELERYD_SOFT_TIME_LIMIT | 600 |
| CELERY_ACCEPT_CONTENT | ['geonode_json'] |
| CELERY_ACKS_LATE | True |
| CELERY_BEAT_SCHEDULE | {'probe_services': {'schedule': 600.0, 'task': 'geonode.services.tasks.probe_services'}} |
| CELERY_BROKER_URL | 'memory://' |
| CELERY_DISABLE_RATE_LIMITS | False |
| CELERY_ENABLE_UTC | True |
| CELERY_IGNORE_RESULT | False |
| CELERY_LOADER | 'geonode.loaders.GeoNodeCeleryTaksLoader' |
| CELERY_MAX_CACHED_RESULTS | 32768 |

| Setting | Value |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CELERY_MESSAGE_COMPRESSION | 'gzip' |
| CELERY_RESULT_BACKEND | 'file:///C:\\Users\\pc\\Desktop\\geonode\\geonode\\.celery_results' |
| CELERY_RESULT_BACKEND_PATH | 'C:\\Users\\pc\\Desktop\\geonode\\geonode\\.celery_results' |
| CELERY_RESULT_PERSISTENT | False |
| CELERY_RESULT_SERIALIZER | 'geonode_json' |
| CELERY_SEND_TASK_ERROR_EMAILS | False |
| CELERY_SEND_TASK_EVENTS | True |
| CELERY_SEND_TASK_SENT_EVENT | True |
| CELERY_TASK_ALWAYS_EAGER | True |
| CELERY_TASK_CREATE_MISSING_QUEUES | True |
| CELERY_TASK_EAGER_PROPAGATES | True |
| CELERY_TASK_IGNORE_RESULT | True |
| CELERY_TASK_QUEUES | (<unbound Queue default -> <unbound Exchange default(topic)> -> default, <unbound Queue geonode -> <unbound Exchange default(topic)> -> geonode, <unbound Queue update -> <unbound Exchange default(topic)> -> update, <unbound Queue upload -> <unbound Exchange default(topic)> -> upload, <unbound Queue cleanup -> <unbound Exchange default(topic)> -> cleanup, <unbound Queue email -> <unbound Exchange default(topic)> -> email, <unbound Queue security -> <unbound Exchange default(topic)> -> security, <unbound Queue broadcast -> <unbound Exchange geonode(topic)> -> #, <unbound Queue email.events -> <unbound Exchange geonode(topic)> -> geoserver.email, <unbound Queue all.geoserver -> <unbound Exchange geonode(topic)> -> geoserver.#, <unbound Queue geoserver.catalog -> <unbound Exchange geonode(topic)> -> geoserver.catalog, <unbound Queue geoserver.data -> <unbound Exchange geonode(topic)> -> geoserver.data, <unbound Queue geoserver.events -> <unbound Exchange geonode(topic)> -> geonode.geoserver, <unbound Queue notifications.events -> <unbound Exchange geonode(topic)> -> notifications, <unbound Queue geonode.layer.viewer -> <unbound Exchange geonode(topic)> -> geonode.viewer>) |
| CELERY_TASK_RESULT_EXPIRES | 43200 |
| CELERY_TASK_SERIALIZER | 'geonode_json' |
| CELERY_TIMEZONE | 'UTC' |
| CELERY_TRACK_STARTED | True |
| CELERY_WORKER_DISABLE_RATE_LIMITS | False |
| CELERY_WORKER_SEND_TASK_EVENTS | True |
| CKAN_ORIGINS | [{'css_class': 'hdx', 'label': 'Humanitarian Data Exchange (HDX)', 'url': 'https://data.hdx.rwllabs.org/dataset/new?title={name}&dataset_date={date}¬es={abstract}&caveats={caveats}'}] |
| CLIENT_RESULTS_LIMIT | 5 |
| CORS_ORIGIN_ALLOW_ALL | False |
| CREATE_LAYER | False |
| CSRF_COOKIE_AGE | 31449600 |
| CSRF_COOKIE_DOMAIN | None |
| CSRF_COOKIE_HTTPONLY | False |
| CSRF_COOKIE_NAME | 'csrftoken' |
| CSRF_COOKIE_PATH | '/' |
| CSRF_COOKIE_SAMESITE | 'Lax' |
| CSRF_COOKIE_SECURE | False |
| CSRF_FAILURE_VIEW | 'django.views.csrf.csrf_failure' |
| CSRF_HEADER_NAME | 'HTTP_X_CSRFTOKEN' |
| CSRF_TRUSTED_ORIGINS | [] |
| CSRF_USE_SESSIONS | False |
| DATABASES | {'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.contrib.gis.db.backends.spatialite', 'HOST': '', 'NAME': 'C:\\Users\\pc\\Desktop\\geonode\\geonode\\development.db', 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': ''}} |
| DATABASE_ROUTERS | [] |
| DATABASE_URL | 'spatialite:///C:\\Users\\pc\\Desktop\\geonode\\geonode\\development.db' |
| DATA_UPLOAD_MAX_MEMORY_SIZE | 2621440 |
| DATA_UPLOAD_MAX_NUMBER_FIELDS | 100000 |
| DATETIME_FORMAT | 'N j, Y, P' |
| DATETIME_INPUT_FORMATS | ['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%Y-%m-%d', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y', '%Y-%m-%d %H:%M:%S.%f %Z', '%Y-%m-%dT%H:%M:%S.%f', '%Y-%m-%dT%H:%M:%SZ'] |
| DATE_FORMAT | 'N j, Y' |
| DATE_INPUT_FORMATS | ['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%Y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y'] |

| Setting | Value |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DEBUG | True |
| DEBUG_PROPAGATE_EXCEPTIONS | False |
| DEBUG_STATIC | False |
| DECIMAL_SEPARATOR | ',' |
| DEFAULT_ANONYMOUS_DOWNLOAD_PERMISSION | True |
| DEFAULT_ANONYMOUS_VIEW_PERMISSION | True |
| DEFAULT_CHARSET | 'utf-8' |
| DEFAULT_CONTENT_TYPE | 'text/html' |
| DEFAULT_EXCEPTION_REPORTER_FILTER | 'django.views.debug.SafeExceptionReporterFilter' |
| DEFAULT_FILE_STORAGE | 'django.core.files.storage.FileSystemStorage' |
| DEFAULT_FROM_EMAIL | 'webmaster@localhost' |
| DEFAULT_INDEX_TABLESPACE | '' |
| DEFAULT_LAYER_FORMAT | 'image/png' |
| DEFAULT_MAP_CENTER | (0, 0) |
| DEFAULT_MAP_CRS | 'EPSG:3857' |
| DEFAULT_MAP_ZOOM | 0 |
| DEFAULT_MS2_BACKGROUNDS | [{'group': 'background', 'name': 'mapnik', 'source': 'osm', 'title': 'Open Street Map', 'type': 'osm', 'visibility': True}, {'group': 'background', 'name': 'OpenTopoMap', 'provider': 'OpenTopoMap', 'source': 'OpenTopoMap', 'title': 'OpenTopoMap', 'type': 'tileprovider', 'visibility': False}, {'format': 'image/jpeg', 'group': 'background', 'id': 's2cloudless', 'name': 's2cloudless:s2cloudless', 'thumbURL': 'http://localhost:8000/static/mapstorestyle/img/s2cloudless-s2cloudless.png', 'title': 'Sentinel-2 cloudless - https://s2maps.eu', 'type': 'wms', 'url': 'https://maps.geo-solutions.it/geoserver/wms', 'visibility': False}, {'args': ['Empty Background', {'visibility': False}], 'group': 'background', 'id': 'none', 'name': 'empty', 'source': 'ol', 'title': 'Empty Background', 'type': 'empty', 'visibility': False}] |
| DEFAULT_SEARCH_SIZE | 10 |
| DEFAULT_TABLESPACE | '' |
| DEFAULT_WORKSPACE | 'geonode' |
| DELAYED_SECURITY_SIGNALS | False |
| DISALLOWED_USER_AGENTS | [] |
| DISPLAY_COMMENTS | True |
| DISPLAY_ORIGINAL_DATASET_LINK | True |
| DISPLAY_RATINGS | True |
| DISPLAY_SOCIAL | True |
| DISPLAY_WMS_LINKS | True |
| DOWNLOAD_FORMATS_METADATA | ['Atom', 'DIF', 'Dublin Core', 'ebRIM', 'FGDC', 'ISO', 'ISO with XSL'] |
| DOWNLOAD_FORMATS_RASTER | ['JPEG', 'PDF', 'PNG', 'ArcGrid', 'GeoTIFF', 'Gtopo30', 'ImageMosaic', 'KML', 'View in Google Earth', 'Tiles', 'GML', 'GZIP', 'Zipped All Files'] |
| DOWNLOAD_FORMATS_VECTOR | ['JPEG', 'PDF', 'PNG', 'Zipped Shapefile', 'GML 2.0', 'GML 3.1.1', 'CSV', 'Excel', 'GeoJSON', 'KML', 'View in Google Earth', 'Tiles'] |
| DYNAMIC_REST | {'ADDITIONAL_PRIMARY_RESOURCE_PREFIX': '+', 'DEBUG': False, 'DEFER_MANY_RELATIONS': False, 'ENABLE_BROWSABLE_API': '*****', 'ENABLE_HOST_RELATIVE_LINKS': True, 'ENABLE_LINKS': False, 'ENABLE_SERIALIZER_CACHE': False, 'ENABLE_SERIALIZER_OPTIMIZATIONS': True, 'MAX_PAGE_SIZE': None, 'PAGE_QUERY_PARAM': 'page', 'PAGE_SIZE': None, 'PAGE_SIZE_QUERY_PARAM': 'per_page'} |
| EMAIL_BACKEND | 'django.core.mail.backends.console.EmailBackend' |
| EMAIL_ENABLE | False |
| EMAIL_HOST | 'localhost' |
| EMAIL_HOST_PASSWORD | '*****' |
| EMAIL_HOST_USER | '' |
| EMAIL_PORT | 25 |

| Setting | Value |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EMAIL_SSL_CERTFILE | None |
| EMAIL_SSL_KEYFILE | '*****' |
| EMAIL_SUBJECT_PREFIX | '[Django] ' |
| EMAIL_TIMEOUT | None |
| EMAIL_USE_LOCALTIME | False |
| EMAIL_USE_SSL | False |
| EMAIL_USE_TLS | False |
| EPSG_CODE_MATCHES | {'EPSG:32647': '(32647) WGS 84 / UTM zone 47N', 'EPSG:32736': '(32736) WGS 84 / UTM zone 36S', 'EPSG:3785': '(3785 DEPRECATED) Popular Visualisation CRS / Mercator', 'EPSG:3857': '(3857) WGS 84 / Pseudo-Mercator', 'EPSG:4326': '(4326) WGS 84', 'EPSG:900913': '(900913) Google Maps Global Mercator'} |
| EXIF_ENABLED | True |
| EXTRA_LANG_INFO | {'am': {'bidi': False, 'code': 'am', 'name': 'Amharic', 'name_local': 'Amharic'}, 'si': {'bidi': False, 'code': 'si', 'name': 'Sinhala', 'name_local': 'sinhala'}, 'ta': {'bidi': False, 'code': 'ta', 'name': 'Tamil', 'name_local': 'tamil'}, 'tl': {'bidi': False, 'code': 'tl', 'name': 'Tagalog', 'name_local': 'tagalog'}} |
| FAVORITE_ENABLED | True |
| FILE_CHARSET | 'utf-8' |
| FILE_UPLOAD_DIRECTORY_PERMISSIONS | None |
| FILE_UPLOAD_HANDLERS | ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler'] |
| FILE_UPLOAD_MAX_MEMORY_SIZE | 2621440 |
| FILE_UPLOAD_PERMISSIONS | None |
| FILE_UPLOAD_TEMP_DIR | None |
| FIRST_DAY_OF_WEEK | 0 |
| FIXTURE_DIRS | [] |
| FORCE_SCRIPT_NAME | '' |
| FORMAT_MODULE_PATH | None |
| FORM_RENDERER | 'django.forms.renderers.DjangoTemplates' |
| FREETEXT_KEYWORDS_READONLY | '*****' |
| GEOFENCE_SECURITY_ENABLED | True |
| GEOIP_PATH | 'C:\\Users\\pc\\Desktop\\geonode\\geonode\\GeoIPCities.dat' |
| GEONODE_APPS | ('geonode.api', 'geonode.base', 'geonode.br', 'geonode.layers', 'geonode.maps', 'geonode.geoapps', 'geonode.documents', 'geonode.security', 'geonode.catalogue', 'geonode.catalogue.metadatasl', 'geonode.people', 'geonode.client', 'geonode.themes', 'geonode.proxy', 'geonode.social', 'geonode.groups', 'geonode.services', 'geonode.geoserver', 'geonode.upload', 'geonode.tasks', 'geonode.messaging', 'geonode.monitoring') |
| GEONODE_APPS_ENABLE | True |
| GEONODE_APPS_NAME | 'Apps' |
| GEONODE_APPS_NAV_MENU_ENABLE | True |
| GEONODE_CATALOGUE_METADATA_XSL | True |
| GEONODE_CATALOGUE_SERVICE | {'GeoNode Catalogue': {'autoload': True, 'title': 'GeoNode Catalogue', 'type': 'csw', 'url': 'http://localhost:8000/catalogue/csw'}} |
| GEONODE_CLIENT_HOOKSET | <geonode_mapstore_client.hooksets.MapStoreHookSet object at 0x0F780E20> |
| GEONODE_CLIENT_LAYER_PREVIEW_LIBRARY | 'mapstore' |
| GEONODE_CONTRIB_APPS | () |
| GEONODE_CORE_APPS | ('geonode.api', 'geonode.base', 'geonode.br', 'geonode.layers', 'geonode.maps', 'geonode.geoapps', 'geonode.documents', 'geonode.security', 'geonode.catalogue', 'geonode.catalogue.metadatasl') |
| GEONODE_DB_CONN_MAX_AGE | 0 |
| GEONODE_DB_CONN_TOUT | 5 |
| GEONODE_EXCHANGE | <unbound Exchange default(topic)> |

| Setting | Value |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GEONODE_INTERNAL_APPS | ('geonode.people', 'geonode.client', 'geonode.themes', 'geonode.proxy', 'geonode.social', 'geonode.groups', 'geonode.services', 'geonode.geoserver', 'geonode.upload', 'geonode.tasks', 'geonode.messaging', 'geonode.monitoring') |
| GEOSERVER_EXCHANGE | <unbound Exchange geonode(topic)> |
| GEOSERVER_LOCATION | 'http://localhost:8080/geoserver/' |
| GEOSERVER_PUBLIC_HOST | 'localhost' |
| GEOSERVER_PUBLIC_LOCATION | 'http://localhost:8080/geoserver/' |
| GEOSERVER_PUBLIC_PORT | 8080 |
| GEOSERVER_PUBLIC_SCHEMA | 'http' |
| GEOSERVER_WEB_UI_LOCATION | 'http://localhost:8080/geoserver/' |
| GOOGLE_API_KEY | '*****' |
| GRAPPELLI_ADMIN_TITLE | 'GeoNode' |
| GROUP_MANDATORY_RESOURCES | False |
| GROUP_PRIVATE_RESOURCES | False |
| GUARDIAN_GET_INIT_ANONYMOUS_USER | 'geonode.people.models.get_anonymous_user_instance' |
| HAYSTACK_FACET_COUNTS | True |
| HAYSTACK_SEARCH | False |
| HOSTNAME | 'localhost' |
| IGNORABLE_404_URLS | [] |
| IMAGEKIT_CACHEFILE_DIR | 'CACHE/images' |
| IMAGEKIT_CACHEFILE_NAMER | 'imagekit.cachefiles.namers.hash' |
| IMAGEKIT_CACHE_BACKEND | 'default' |
| IMAGEKIT_CACHE_PREFIX | 'imagekit:' |
| IMAGEKIT_CACHE_TIMEOUT | 300 |
| IMAGEKIT_DEFAULT_CACHEFILE_BACKEND | 'imagekit.cachefiles.backends.Simple' |
| IMAGEKIT_DEFAULT_CACHEFILE_STRATEGY | 'imagekit.cachefiles.strategies.JustInTime' |
| IMAGEKIT_DEFAULT_FILE_STORAGE | 'django.core.files.storage.FileSystemStorage' |
| IMAGEKIT_SPEC_CACHEFILE_NAMER | 'imagekit.cachefiles.namers.source_name_as_path' |
| IMAGEKIT_USE_MEMCACHED_SAFE_CACHE_KEY | '*****' |

| Setting | Value |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| INSTALLED_APPS | ('modeltranslation', 'dal', 'dal_select2', 'grappelli', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.sites', 'django.contrib.admin', 'django.contrib.sitemaps', 'django.contrib.staticfiles', 'django.contrib.messages', 'django.contrib.humanize', 'django.contrib.gis', 'dj_pagination', 'taggit', 'treebeard', 'leaflet', 'bootstrap3_datetime', 'django_filters', 'mptt', 'storages', 'floppyforms', 'tinymce', 'widget_tweaks', 'rest_framework', 'rest_framework_gis', 'dynamic_rest', 'drf_spectacular', 'django_forms_bootstrap', 'avatar', 'dialogs', 'pinax.ratings', 'announcements', 'actstream', 'user_messages', 'tastypie', 'polymorphic', 'guardian', 'oauth2_provider', 'corsheaders', 'invitations', 'allauth', 'allauth.account', 'allauth.socialaccount', 'geonode', 'markdownify', 'geonode.api', 'geonode.base', 'geonode.br', 'geonode.layers', 'geonode.maps', 'geonode.geoapps', 'geonode.documents', 'geonode.security', 'geonode.catalogue', 'geonode.catalogue.metadatas1', 'geonode.people', 'geonode.client', 'geonode.themes', 'geonode.proxy', 'geonode.social', 'geonode.groups', 'geonode.services', 'geonode.geoserver', 'geonode.upload', 'geonode.tasks', 'geonode.messaging', 'geonode.monitoring', 'geonode.documents.exif', 'geonode.favorite', 'mapstore2_adapter', 'mapstore2_adapter.geoapps', 'mapstore2_adapter.geoapps.geostories', 'geonode_mapstore_client', 'pinax.notifications', <Celery geonode at 0xe1ffa30>) |
| INTEGRATION | False |
| INTERNAL_IPS | [] |
| INVITATIONS_ADAPTER | 'geonode.people.adapters.LocalAccountAdapter' |

| Setting | Value |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LANGUAGES | ((('af', 'Afrikaans'), ('sq', 'Albanian'), ('am', 'Amharic'), ('ar', 'Arabic'), ('id', 'Bahasa Indonesia'), ('bn', 'Bengali'), ('de', 'Deutsch'), ('en', 'English'), ('es', 'Español'), ('fr', 'Français'), ('it', 'Italiano'), ('km', 'Khmer'), ('nl', 'Nederlands'), ('ne', 'Nepali'), ('fa', 'Persian'), ('pl', 'Polish'), ('pt', 'Portuguese'), ('pt-br', 'Portuguese (Brazil)'), ('ru', 'Russian'), ('si', 'Sinhala'), ('sw', 'Swahili'), ('sv', 'Swedish'), ('tl', 'Tagalog'), ('ta', 'Tamil'), ('uk', 'Ukrainian'), ('vi', 'Vietnamese'), ('el', 'Ελληνικά'), ('th', 'ไทย'), ('zh-cn', '中文'), ('ja', '日本語'), ('ko', '한국어')) |
| LANGUAGES_BIDI | ['he', 'ar', 'fa', 'ur'] |
| LANGUAGE_CODE | 'en' |
| LANGUAGE_COOKIE_AGE | None |
| LANGUAGE_COOKIE_DOMAIN | None |
| LANGUAGE_COOKIE_NAME | 'django_language' |
| LANGUAGE_COOKIE_PATH | '/' |
| LICENSES | {'DETAIL': 'above', 'ENABLED': True, 'METADATA': 'verbose'} |
| LOCALE_PATHS | ('C:\\Users\\pc\\Desktop\\geonode\\geonode\\locale',) |
| LOCAL_GEOSERVER | {'source': {'attribution': '© http://localhost:8000/', 'ptype': 'gxp_wmcsresource', 'restUrl': '/gs/rest', 'title': 'GeoServer - Private Layers', 'url': '/gs/ows'}} |
| LOCAL_GXP_PTYPE | 'gxp_wmcsresource' |
| LOCAL_MEDIA_URL | '/uploaded/' |
| LOCAL_SIGNALS_BROKER_URL | 'memory://' |
| LOCKDOWN_GEONODE | False |
| LOGGING | {'disable_existing_loggers': False, 'filters': {'require_debug_false': {'()': 'django.utils.log.RequireDebugFalse'}}, 'formatters': {'simple': {'format': '%(message)s'}, 'verbose': {'format': '%(levelname)s %(asctime)s %(module)s %(process)d %(thread)d %(message)s'}}, 'handlers': {'console': {'class': 'logging.StreamHandler', 'formatter': 'simple', 'level': 'ERROR'}, 'mail_admins': {'class': 'django.utils.log.AdminEmailHandler', 'filters': ['require_debug_false'], 'level': 'ERROR'}}, 'loggers': {'celery': {'handlers': ['console'], 'level': 'ERROR'}, 'django': {'handlers': ['console'], 'level': 'ERROR'}, 'geonode': {'handlers': ['console'], 'level': 'ERROR'}, 'geoserver-restconfig.catalog': {'handlers': ['console'], 'level': 'ERROR'}, 'mapstore2_adapter': {'handlers': ['console'], 'level': 'INFO'}, 'owslib': {'handlers': ['console'], 'level': 'ERROR'}, 'pycsw': {'handlers': ['console'], 'level': 'ERROR'}}, 'version': 1} |
| LOGGING_CONFIG | 'logging.config.dictConfig' |
| LOGIN_REDIRECT_URL | '/accounts/profile/' |
| LOGIN_URL | 'http://localhost:8000/account/login/' |
| LOGOUT_REDIRECT_URL | None |
| LOGOUT_URL | 'http://localhost:8000/account/logout/' |
| MANAGERS | [] |
| MAPBOX_ACCESS_TOKEN | '*****' |
| MAPSTORE2_ADAPTER_SERIALIZER | 'mapstore2_adapter.plugins.serializers.GeoNodeSerializer' |

| Setting | Value |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MAPSTORE_BASELAYERS | [{'group': 'background', 'name': 'mapnik', 'source': 'osm', 'title': 'Open Street Map', 'type': 'osm', 'visibility': True}, {'group': 'background', 'name': 'OpenTopoMap', 'provider': 'OpenTopoMap', 'source': 'OpenTopoMap', 'title': 'OpenTopoMap', 'type': 'tileprovider', 'visibility': False}, {'format': 'image/jpeg', 'group': 'background', 'id': 's2cloudless', 'name': 's2cloudless:s2cloudless', 'thumbURL': 'http://localhost:8000/static/mapstorestyle/img/s2cloudless-s2cloudless.png', 'title': 'Sentinel-2 cloudless - https://s2maps.eu', 'type': 'wms', 'url': 'https://maps.geo-solutions.it/geoserver/wms', 'visibility': False}, {'args': ['Empty Background', {'visibility': False}], 'group': 'background', 'id': 'none', 'name': 'empty', 'source': 'ol', 'title': 'Empty Background', 'type': 'empty', 'visibility': False}] |
| MAPSTORE_CATALOGUE_SELECTED_SERVICE | 'GeoNode Catalogue' |
| MAPSTORE_CATALOGUE_SERVICES | {'Demo WMS Service': {'autoload': False, 'title': 'Demo WMS Service', 'type': 'wms', 'url': 'https://demo.geo-solutions.it/geoserver/wms'}, 'Demo WMTS Service': {'autoload': False, 'title': 'Demo WMTS Service', 'type': 'wmts', 'url': 'https://demo.geo-solutions.it/geoserver/gwc/service/wmts'}, 'GeoNode Catalogue': {'autoload': True, 'title': 'GeoNode Catalogue', 'type': 'csw', 'url': 'http://localhost:8000/catalogue/csw'}} |
| MAP_BASELAYERS | [{'source': {'attribution': '© http://localhost:8000/', 'ptype': 'gxp_wmsscource', 'restUrl': '/gs/rest', 'title': 'GeoServer - Public Layers', 'url': 'http://localhost:8000/geoserver/ows'}}, {}] |
| MAP_CLIENT_USE_CROSS_ORIGIN_CREDENTIALS | False |
| MARKDOWNIFY_STRIP | False |
| MARKDOWNIFY_WHITELIST_TAGS | {'a', 'blockquote', 'code', 'h1', 'h2', 'h3', 'h4', 'h5', 'h6', 'h7', 'li', 'p', 'span', 'strong', 'ul'} |
| MAX_DOCUMENT_SIZE | 2 |
| MEDIAFILES_LOCATION | 'uploaded' |
| MEDIA_ROOT | 'C:\\Users\\pc\\Desktop\\geonode\\geonode\\uploaded' |
| MEDIA_URL | '/uploaded/' |
| MEMCACHED_BACKEND | 'django.core.cache.backends.memcached.MemcachedCache' |
| MEMCACHED_ENABLED | False |
| MEMCACHED_LOCATION | '127.0.0.1:11211' |
| MEMCACHED_LOCK_EXPIRE | 3600 |
| MEMCACHED_LOCK_TIMEOUT | 10 |
| MESSAGE_STORAGE | 'django.contrib.messages.storage.cookie.CookieStorage' |
| MIDDLEWARE | ('corsheaders.middleware.CorsMiddleware', 'django.middleware.common.CommonMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.contrib.sites.middleware.CurrentSiteMiddleware', 'dj_pagination.middleware.PaginationMiddleware', 'django.middleware.locale.LocaleMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware', 'django.middleware.security.SecurityMiddleware', 'oauth2_provider.middleware.OAuth2TokenMiddleware', 'geonode.base.middleware.MaintenanceMiddleware', 'geonode.base.middleware.ReadOnlyMiddleware', 'geonode.security.middleware.SessionControlMiddleware') |
| MIGRATION_MODULES | {} |
| MISSING_THUMBNAIL | 'geonode/img/missing_thumb.png' |
| MODELTRANSLATION_DEFAULT_LANGUAGE | 'en' |
| MODELTRANSLATION_FALLBACK_LANGUAGES | ('en',) |
| MODELTRANSLATION_LANGUAGES | ['en'] |
| MODIFY_TOPICCATEGORY | True |
| MONITORING_CONFIG | None |
| MONITORING_DATA_TTL | datetime.timedelta(days=365) |
| MONITORING_DISABLE_CSRF | False |
| MONITORING_ENABLED | False |
| MONITORING_HOST_NAME | 'localhost' |

| Setting | Value |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MONITORING_SERVICE_NAME | 'geonode' |
| MONTH_DAY_FORMAT | 'F j' |
| NOTIFICATIONS_BACKEND | 'geonode.notifications_backend.EmailBackend' |
| NOTIFICATIONS_MODULE | 'pinax.notifications' |
| NOTIFICATION_ENABLED | True |
| NUMBER_GROUPING | 0 |
| OAUTH2_API_KEY | '*****' |
| OAUTH2_PROVIDER | {'CLIENT_ID_GENERATOR_CLASS': 'oauth2_provider.generators.ClientIdGenerator', 'OAUTH2_SERVER_CLASS': 'geonode.security.oauth2_servers.OIDCServer', 'OAUTH2_VALIDATOR_CLASS': 'geonode.security.oauth2_validators.OIDCValidator', 'OIDC_ISS_ENDPOINT': 'http://localhost:8000/', 'OIDC_RSA_PRIVATE_KEY': '*****', 'OIDC_USERINFO_ENDPOINT': 'http://localhost:8000/api/o/v4/tokeninfo/', 'SCOPES': {'groups': 'Access to your groups', 'openid': 'Default to OpenID', 'read': 'Read scope', 'write': 'Write scope'}}} |
| OAUTH2_PROVIDER_ACCESS_TOKEN_MODEL | '*****' |
| OAUTH2_PROVIDER_APPLICATION_MODEL | 'oauth2_provider.Application' |
| OAUTH2_PROVIDER_GRANT_MODEL | 'oauth2_provider.Grant' |
| OAUTH2_PROVIDER_ID_TOKEN_MODEL | '*****' |
| OAUTH2_PROVIDER_REFRESH_TOKEN_MODEL | '*****' |
| OGC_SERVER | {'default': {'BACKEND': 'geonode.geoserver', 'BACKEND_WRITE_ENABLED': True, 'BACKOFF_FACTOR': 0.3, 'DATASTORE': '', 'GEOFENCE_SECURITY_ENABLED': True, 'GEOFENCE_URL': 'internal:/', 'GEONODE_SECURITY_ENABLED': True, 'LOCATION': 'http://localhost:8080/geoserver/', 'LOGIN_ENDPOINT': 'j_spring_oauth2_geonode_login', 'LOGOUT_ENDPOINT': 'j_spring_oauth2_geonode_logout', 'LOG_FILE': 'C:\\Users\\pc\\Desktop\\geonode/geoserver/data/logs/geoserver.log', 'MAPFISH_PRINT_ENABLED': True, 'MAX_RETRIES': 3, 'PASSWORD': '*****', 'POOL_CONNECTIONS': 10, 'POOL_MAXSIZE': 10, 'PRINTING_ENABLED': True, 'PUBLIC_LOCATION': 'http://localhost:8080/geoserver/', 'TIMEOUT': 60, 'USER': 'admin', 'WEB_UI_LOCATION': 'http://localhost:8080/geoserver/', 'WMST_ENABLED': False, 'WPS_ENABLED': False}} |
| OGC_SERVER_DEFAULT_PASSWORD | '*****' |
| OGC_SERVER_DEFAULT_USER | 'admin' |
| OGP_URL | 'http://geodata.tufts.edu/solr/select' |
| OPENGRAPH_ENABLED | True |
| OSGE04W | 'C:\\OSGeo4W' |
| PASSWORD_HASHERS | '*****' |
| PASSWORD_RESET_TIMEOUT_DAYS | '*****' |
| PINAX_NOTIFICATIONS_BACKENDS | {(0, 'email'): <geonode.notifications_backend.EmailBackend object at 0x0FA97E08>} |
| PINAX_NOTIFICATIONS_GET_LANGUAGE_MODEL | <function PinaxNotificationsAppConf.configure_get_language_model.<locals>.<lambda> at 0x0FAA4610> |
| PINAX_NOTIFICATIONS_HOOKSET | <pinax.notifications.hooks.DefaultHookSet object at 0x0FAA5688> |
| PINAX_NOTIFICATIONS_LANGUAGE_MODEL | None |
| PINAX_NOTIFICATIONS_LOCK_WAIT_TIMEOUT | 600 |
| PINAX_NOTIFICATIONS_QUEUE_ALL | False |
| PINAX RATINGS_CATEGORY_CHOICES | {'documents.Document': {'document': 'How good is this document?'}, 'layers.Layer': {'layer': 'How good is this layer?'}, 'maps.Map': {'map': 'How good is this map?'}} |
| PREPEND_WWW | False |
| PROJECT_ROOT | 'C:\\Users\\pc\\Desktop\\geonode\\geonode' |
| PROXY_ALLOWED_HOSTS | ['localhost', 'localhost', 'django', 'geonode', 'spatialreference.org', 'nominatim.openstreetmap.org', 'dev.openlayers.org'] |
| PROXY_URL | '/proxy?url=' |
| PUBLIC_GEOSERVER | {'source': {'attribution': '© http://localhost:8000/', 'ptype': 'gxp_wmsscource', 'restUrl': '/gs/rest', 'title': 'GeoServer - Public Layers', 'url': 'http://localhost:8080/geoserver/ows'}} |

| Setting | Value |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PYCSW | {'CONFIGURATION': {'manager': {'allowed_ips': '*', 'transactions': 'false'}, 'metadata:inspire': {'conformity_service': 'notEvaluated', 'contact_email': 'Email Address', 'contact_name': 'Organization Name', 'date': 'YYYY-MM-DD', 'default_language': 'eng', 'enabled': 'true', 'gemet_keywords': '*****', 'languages_supported': 'eng,gre', 'temp_extent': 'YYYY-MM-DD/YYYY-MM-DD'}, 'metadata:main': {'contact_address': 'Mailing Address', 'contact_city': 'City', 'contact_country': 'Country', 'contact_email': 'Email Address', 'contact_fax': '+xx-xxx-xxx-xxxx', 'contact_hours': 'Hours of Service', 'contact_instructions': 'During hours of service. Off on weekends.', 'contact_name': 'Lastname, Firstname', 'contact_phone': '+xx-xxx-xxx-xxxx', 'contact_position': 'Position Title', 'contact_postalcode': 'Zip or Postal Code', 'contact_role': 'pointOfContact', 'contact_stateorprovince': 'Administrative Area', 'contact_url': 'Contact URL', 'identification_abstract': 'GeoNode is an open source platform that facilitates the creation, sharing, and collaborative use of geospatial data', 'identification_accessconstraints': 'None', 'identification_fees': 'None', 'identification_keywords': '*****', 'identification_keywords_type': '*****', 'identification_title': 'GeoNode Catalogue', 'provider_name': 'Organization Name', 'provider_url': 'http://localhost:8000/'}, 'server': {'domaincounts': 'true', 'encoding': 'UTF-8', 'home': '.', 'language': 'en', 'maxrecords': '20', 'pretty_print': 'true', 'profiles': 'apiso,ebri', 'url': 'http://localhost:8000/catalogue/csw'}}} |
| RABBITMQ_SIGNALS_BROKER_URL | 'amqp://localhost:5672' |
| RECAPTCHA_ENABLED | False |
| RESOURCE_PUBLISHING | False |
| REST_API_DEFAULT_PAGE | '*****' |
| REST_API_DEFAULT_PAGE_QUERY_PARAM | '*****' |
| REST_API_DEFAULT_PAGE_SIZE | '*****' |
| REST_FRAMEWORK | {'DEFAULT_AUTHENTICATION_CLASSES': ['rest_framework.authentication.BasicAuthentication', 'rest_framework.authentication.SessionAuthentication', 'oauth2_provider.contrib.rest_framework.OAuth2Authentication'], 'DEFAULT_RENDERER_CLASSES': ['rest_framework.renderers.JSONRenderer', 'dynamic_rest.renderers.DynamicBrowsableAPIRenderer'], 'DEFAULT_SCHEMA_CLASS': 'drf_spectacular.openapi.AutoSchema'} |
| ROOT_URLCONF | 'geonode.urls' |
| S3_MEDIA_ENABLED | False |
| S3_STATIC_ENABLED | False |
| SEARCH_FILTERS | {'CATEGORIES_ENABLED': True, 'DATE_ENABLED': True, 'EXTENT_ENABLED': True, 'GROUPS_ENABLED': True, 'GROUP_CATEGORIES_ENABLED': True, 'H_KEYWORDS_ENABLED': '*****', 'KEYWORDS_ENABLED': '*****', 'OWNERS_ENABLED': True, 'REGION_ENABLED': True, 'TEXT_ENABLED': True, 'TYPE_ENABLED': True, 'T_KEYWORDS_ENABLED': '*****'} |
| SEARCH_RESOURCES_EXTENDED | 1 |
| SECRET_KEY | '*****' |
| SECURE_BROWSER_XSS_FILTER | True |
| SECURE_CONTENT_TYPE_NOSNIFF | True |
| SECURE_HSTS_INCLUDE_SUBDOMAINS | True |
| SECURE_HSTS_PRELOAD | False |
| SECURE_HSTS_SECONDS | 3600 |
| SECURE_PROXY_SSL_HEADER | None |
| SECURE_REDIRECT_EXEMPT | [] |
| SECURE_SSL_HOST | None |
| SECURE_SSL_REDIRECT | False |
| SERVER_EMAIL | 'root@localhost' |
| SERVICE_UPDATE_INTERVAL | 0 |
| SESSION_CACHE_ALIAS | 'default' |
| SESSION_COOKIE_AGE | 1209600 |
| SESSION_COOKIE_DOMAIN | None |
| SESSION_COOKIE_HTTPONLY | True |
| SESSION_COOKIE_NAME | 'sessionid' |
| SESSION_COOKIE_PATH | '/' |
| SESSION_COOKIE_SAMESITE | 'Lax' |
| SESSION_COOKIE_SECURE | False |

| Setting | Value |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SESSION_ENGINE | 'django.contrib.sessions.backends.db' |
| SESSION_EXPIRED_CONTROL_ENABLED | True |
| SESSION_EXPIRE_AT_BROWSER_CLOSE | False |
| SESSION_FILE_PATH | None |
| SESSION_SAVE_EVERY_REQUEST | False |
| SESSION_SERIALIZER | 'django.contrib.sessions.serializers.PickleSerializer' |
| SETTINGS_MODULE | 'geonode.settings' |
| SHORT_DATETIME_FORMAT | 'm/d/Y P' |
| SHORT_DATE_FORMAT | 'm/d/Y' |
| SHOW_PROFILE_EMAIL | False |
| SIGNING_BACKEND | 'django.core.signing.TimestampSigner' |
| SILENCED_SYSTEM_CHECKS | ['1.8.W001', 'fields.W340', 'auth.W004', 'urls.W002'] |
| SITEURL | 'http://localhost:8000/' |
| SITE_HOST_NAME | 'localhost' |
| SITE_HOST_PORT | 8000 |
| SITE_HOST_SCHEMA | 'http' |
| SITE_ID | 1 |
| SKIP_PERMS_FILTER | False |
| SOCIALACCOUNT_ADAPTER | 'geonode.people.adapters.SocialAccountAdapter' |
| SOCIALACCOUNT_AUTO_SIGNUP | True |
| SOCIALACCOUNT_PROFILE_EXTRACTORS | {'facebook': 'geonode.people.profileextractors.FacebookExtractor', 'linkedin_oauth2': 'geonode.people.profileextractors.LinkedInExtractor'} |
| SOCIALACCOUNT_PROVIDERS | {'facebook': {'FIELDS': ['id', 'email', 'name', 'first_name', 'last_name', 'verified', 'locale', 'timezone', 'link', 'gender'], 'METHOD': 'oauth2', 'SCOPE': ['email', 'public_profile']}, 'linkedin_oauth2': {'PROFILE_FIELDS': ['id', 'email-address', 'first-name', 'last-name', 'picture-url', 'public-profile-url'], 'SCOPE': ['r_emailaddress', 'r_liteprofile']}}} |
| SOCIALACCOUNT_WITH_GEOCODE_LOCAL_SIGNUP | 1 |
| SOCIAL_ORIGINS | [{'css_class': 'email', 'label': 'Email', 'url': 'mailto:?subject={name}&body={url}'}, {'css_class': 'fb', 'label': 'Facebook', 'url': 'http://www.facebook.com/sharer.php?u={url}'}, {'css_class': 'tw', 'label': 'Twitter', 'url': 'https://twitter.com/share?url={url}&hashtags={hashtags}'}] |
| SRID | {'DETAIL': 'never'} |
| STATICFILES_DIRS | ['C:\\Users\\pc\\Desktop\\geonode\\geonode\\static'] |
| STATICFILES_FINDERS | ('django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder') |
| STATICFILES_LOCATION | 'static' |
| STATICFILES_STORAGE | 'django.contrib.staticfiles.storage.StaticFilesStorage' |
| STATIC_ROOT | 'C:\\Users\\pc\\Desktop\\geonode\\geonode\\static_root' |
| STATIC_URL | '/static/' |
| TASTYPYE_DEFAULT_FORMATS | ['json'] |
| TEMPLATES | [{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['C:\\Users\\pc\\Desktop\\geonode\\geonode\\templates'], 'NAME': 'GeoNode Project Templates', 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.i18n', 'django.template.context_processors.tz', 'django.template.context_processors.request', 'django.template.context_processors.media', 'django.template.context_processors.static', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages', 'django.contrib.auth.context_processors.auth', 'geonode.context_processors.resource_urls', 'geonode.geoserver.context_processors.geoserver_urls', 'geonode.themes.context_processors.custom_theme', 'mapstore2_adapter.context_processors.resource_urls'], 'debug': True}}] |
| TEST | False |
| TEST_NON_SERIALIZED_APPS | [] |
| TEST_RUNNER | 'geonode.tests.suite.runner.GeoNodeBaseSuiteDiscoverRunner' |
| TEST_RUNNER_KEEPCB | 0 |
| TEST_RUNNER_PARALLEL | 1 |
| THEME_ACCOUNT_CONTACT_EMAIL | 'admin@example.com' |
| THOUSAND_SEPARATOR | ',' |
| THUMBNAIIL_BACKGROUND | {'class': 'geonode.thumbs.background.WikiMediaTileBackground', 'options': {}} |
| THUMBNAIIL_GENERATOR | 'geonode.thumbs.thumbnails.create_gs_thumbnail_geonode' |
| THUMBNAIIL_LOCATION | 'thumbs' |
| THUMBNAIIL_SIZE | {'height': 200, 'width': 240} |
| TIME_FORMAT | 'P' |
| TIME_INPUT_FORMATS | ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M'] |
| TIME_ZONE | 'UTC' |

| Setting | Value |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TINYMCE_DEFAULT_CONFIG | {'autosave_ask_before_unload': 'true', 'autosave_interval': '30s', 'autosave_prefix': '{path}{query}-{id}-', 'autosave_restore_when_empty': 'false', 'autosave_retention': '2m', 'content_css': '//www.tiny.cloud/css/codepen.min.css', 'contextmenu': 'link image imagetools table', 'height': 200, 'image_advtab': 'true', 'image_caption': 'true', 'imagetools_cors_hosts': ['picsum.photos'], 'importcss_append': 'true', 'menubar': 'file edit view insert format tools table help', 'noneditable_noneditable_class': 'mceNonEditable', 'plugins': 'print preview paste importcss searchreplace autolink autosave 'save directionality code visualblocks visualchars fullscreen 'image link media template codesample table charmap hr pagebreak 'nonbreaking anchor toc insertdatetime advlist lists wordcount 'imagetools textpattern noneditable help charmap quickbars 'emoticons', 'quickbars_selection_toolbar': 'bold italic quicklink h2 h3 blockquote 'quickimage quicktable', 'template_cdate_format': '[Date Created (CDATE): %m/%d/%Y : %H:%M:%S]', 'template_mdate_format': '[Date Modified (MDATE): %m/%d/%Y : %H:%M:%S]', 'templates': [{ 'content': '<div class="mceTpl"><table width="98%" 'border="0" cellspacing="0" cellpadding="0"><tr><th 'scope="col"> </th><th scope="col"> '</th></tr><tr><td> </td><td> '</td></tr></table></div>', 'description': 'creates a new table', 'title': 'New Table'}, { 'content': 'Once upon a time...', 'description': 'A cure for writers block', 'title': 'Starting my story'}, { 'content': '<div class="mceTpl">cdate mdate<h2>My 'List</h2></div>', 'description': 'New List with dates', 'title': 'New list with dates'}}], 'theme': 'silver', 'toolbar': 'undo redo bold italic underline strikethrough fontselect 'fontsize select formatselect alignleft aligncenter alignright 'alignjustify outdent indent numlist bulletedlist forecolor 'background removeformat pagebreak charmap emoticons 'fullscreen preview save insertfile image media template link 'anchor codesample ltr rtl', 'toolbar_mode': 'sliding', 'toolbar_sticky': 'true'} |
| TOPICCATEGORY_MANDATORY | False |
| TWITTER_CARD | True |
| TWITTER_HASHTAGS | ['geonode'] |
| TWITTER_SITE | @GeoNode |
| UI_DEFAULT_MANDATORY_FIELDS | ['id_resource-title', 'id_resource-abstract', 'id_resource-language', 'id_resource-license', 'id_resource-regions', 'id_resource-date_type', 'id_resource-date', 'category_form', 'id_resource-attribution', 'id_resource-constraints_other', 'id_resource-data_quality_statement', 'id_resource-restriction_code_type'] |
| UI_REQUIRED_FIELDS | [] |
| UNOCONV_ENABLE | False |
| UPDATE_RESOURCE_LINKS_AT_MIGRATE | False |
| UPLOADER | {'BACKEND': 'geonode.rest', 'OPTIONS': {'MOSAIC_ENABLED': False, 'TIME_ENABLED': False}, 'SUPPORTED_CRS': ['EPSG:4326', 'EPSG:3785', 'EPSG:3857', 'EPSG:32647', 'EPSG:32736'], 'SUPPORTED_EXT': ['.shp', 'csv', 'kml', 'kmz', 'json', 'geojson', 'tif', 'tiff', 'geotiff', 'gml', 'xml']} |
| USER_ANALYTICS_ENABLED | False |
| USER_ANALYTICS_GZIP | False |
| USER_MESSAGES_ALLOW_MULTIPLE_RECIPIENTS | True |
| USE_GEOSERVER | True |
| USE_I18N | True |
| USE_L10N | True |
| USE_THOUSAND_SEPARATOR | False |
| USE_TZ | True |
| USE_X_FORWARDED_HOST | False |
| USE_X_FORWARDED_PORT | False |
| VERSION | '3.2.0' |
| WSGI_APPLICATION | None |
| X_FRAME_OPTIONS | 'DENY' |
| YEAR_MONTH_FORMAT | 'F Y' |
| _BROKER_URL | 'memory://' |
| _DATETIME_INPUT_FORMATS | ['%Y-%m-%d %H:%M:%S.%f %Z', '%Y-%m-%dT%H:%M:%S.%f', '%Y-%m-%dT%H:%M:%S%Z'] |
| _DB_PATH | 'C:\\Users\\pc\\Desktop\\geonode\\geonode\\development.db' |

| Setting | Value |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>_DEFAULT_LANGUAGES</code> | <pre>((\n" ('af', 'Afrikaans'),\n" ('sq', 'Albanian'),\n" ('am', 'Amharic'),\n" ('ar', 'Arabic'),\n" ('id', 'Bahasa Indonesia'),\n" ('bn', 'Bengali'),\n" ('de', 'Deutsch'),\n" ('en', 'English'),\n" ('es', 'Español'),\n" ('fr', 'Français'),\n" ('it', 'Italiano'),\n" ('km', 'Khmer'),\n" ('nl', 'Nederlands'),\n" ('ne', 'Nepali'),\n" ('fa', 'Persian'),\n" ('pl', 'Polish'),\n" ('pt', 'Portuguese'),\n" ('pt-br', 'Portuguese (Brazil)'),\n" ('ru', 'Russian'),\n" ('si', 'Sinhala'),\n" ('sw', 'Swahili'),\n" ('sv', 'Swedish'),\n" ('tl', 'Tagalog'),\n" ('ta', 'Tamil'),\n" ('uk', 'Ukrainian'),\n" ('vi', 'Vietnamese'),\n" ('el', 'Ελληνικά'),\n" ('th', 'ไทย'),\n" ('zh-cn', '中文'),\n" ('ja', '日本語'),\n" ('ko', '한국어'),\n"))</pre> |
| <code>_DEFAULT_LOCALE_PATHS</code> | <code>('C:\\Users\\pc\\Desktop\\geonode\\geonode\\locale',)</code> |
| <code>_DEFAULT_SECRET_KEY</code> | <code>'*****'</code> |
| <code>_DEFAULT_STATICFILES_DIRS</code> | <code>['C:\\Users\\pc\\Desktop\\geonode\\geonode\\static']</code> |
| <code>_EAGER_FLAG</code> | <code>'True'</code> |
| <code>_QUEUE_ALL_FLAG</code> | <code>'False'</code> |

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.